

# Disclaimer:

The contents of this file are pictures of informational inserts found in the original manufacturer packaging of NCTF 135®. The content published on the inserts is NOT published or authored by Medica Depot and is NOT the property of Medica Depot. All information found on the inserts is published by the manufacturer or the corporation designated on the inserts themselves. All trademarks contained herein belong to the trademark holders and Medica Depot is not operated by, supported by or affiliated with them.



Laboratoires Filorga  
Tél.: +33 (0)1 42 93 94 00  
www.filorga.com

LABORATOIRES  
**FIORGA**  
PARIS

**NCTF**

135<sup>®</sup>  
135HA<sup>®</sup>  
135HA<sup>+</sup><sup>®</sup>



# NCTF

135  
135HA  
135HA+

GB

## NCTF 135

Hyaluronic acid  
+ multi-revitalising solution

## NCTF 135 HA

Highly concentrated hyaluronic acid  
+ poly-revitalising solution

## NCTF 135 HA+

Very high concentration of hyaluronic acid  
+ polyrevitalising solution

## INSTRUCTIONS

### DESCRIPTION

5 vials of 3-ml.  
5 syringes of 3-ml.  
5 withdrawal 18G needles  
5 injection 30G needles  
5 injection 32G needles

### COMPOSITION

#### 12 Vitamins

Ascorbic Acid (Vit. C)  
Biotin (Vit. B8)  
Pantothenic Calcium (Vit. B5)  
Folic Acid (Vit. B9)  
Inositol (Vit. I)  
Nicotinamide (Vit. B3)  
Pyridoxine (Vit. B6)  
Riboflavin (Vit. B2)  
Thiamine (Vit. B1)  
Tocopherol (Vit. E)  
Retinol (Vit. A)  
Riboflavin (Vit. B12)

#### 6 Minerals

Calcium Chloride  
Potassium Chloride  
Magnesium Sulphate  
Sodium Acetate  
Sodium Chloride  
Sodium Dihydrogenophosphate

#### 5 Nucleic Acids

Deoxyadenosine  
Deoxycytidine  
Deoxyguanosine  
Deoxythymidine  
Methylcytosine

#### 2 Reducing Agents

Ascorbic Acid  
Glutathione

#### 23 Amino Acids

Alanine  
Arginine  
Asparagine  
Aspartic acid  
Cystine  
Glutamine  
Glutamic acid  
Glycine  
Histidine  
Hydroxyproline  
Isoleucine  
Leucine  
Lysine  
Methionine  
Ornithine  
Phenylalanine  
Proline  
Serine  
Taurine  
Threonine  
Tryptophan  
Tyrosine  
Valine

#### 6 Coenzymes

TPP (Coccarboxylase)  
CoA (Coenzyme A)  
FAD (Flavin adenine dinucleotide)  
NAD (Nicotinamide adenine dinucleotide)  
NADP (Nicotinamide adenine dinucleotide phosphate)  
UTP (Uridine triphosphate)

#### Hyaluronic Acid (mg/ml)

<b>NCTF 135</b> Non-crosslinked Sodium Hyaluronate	0.025
<b>NCTF 135 HA</b> Non-crosslinked Sodium Hyaluronate	5
<b>NCTF 135 HA+</b> Non-crosslinked Sodium Hyaluronate	10

#### INDICATIONS

NCTF 135: Anti-ageing mesotherapy product indicated for revitalization, hydration of tired or dull skin and treatment of superficial wrinkles.

NCTF 135 HA: Anti-ageing mesotherapy product indicated for intense revitalization and hydration of tired or loose skin, treatment of wrinkles and redensification of mature or slack skin.

NCTF 135 HA+: Anti-ageing mesotherapy product intended for very high moisturisation of tired or dull skin, biorevitalisation, treatment of wrinkles and accelerated redensification of mature skin or skin lacking in moisture and firmness.

#### CONTRAINDICATIONS



Do not inject into blood vessels.

Not to be used in:

- patients with any skin disease or abnormality.
- patients with a history of autoimmune disease or receiving immunotherapy.
- patients with known hypersensitivity or allergy to any of the constituents.
- pregnant or breastfeeding women.
- children.

### PRECAUTIONS FOR USE

There is no clinical data on tolerance to injection of NCTF®135, NCTF®135 HA and NCTF®135 HA+ in areas that have been treated with another permanent filling product.

Precaution should be used, in this case, even if NCTF®135 and NCTF®135 HA and NCTF®135 HA+ are not injected at the same level.

Advise the patient not to wear make-up for 12 hours following the injection and to avoid prolonged exposure to the sun, UV rays, as well as the use of a sauna for one week following the injection.

### INCOMPATIBILITY

There is a known incompatibility between hyaluronic acid and the quaternary ammonium salts such as benzalkonium chloride.

Therefore, NCTF®135, NCTF®135 HA and NCTF®135 HA+ should never come into contact with such products, or medical surgical equipment treated with these types of products.

### ADVERSE EFFECTS

The practitioner must inform the patient that there are possible adverse effects associated with the treatment, such as:

Redness or mild, local inflammation that usually disappears within 24 to 48 hours.

Mild oedema and small haematomas may occur, but disappear within 48 hours.

The patient must notify the practitioner as soon as possible of any inflammatory reactions lasting more than one week or the appearance of any other adverse effect. The practitioner must treat the adverse effect with a suitable treatment.

The distributor and/or manufacturer must be informed of any other adverse effect associated with the injection of NCTF®135, NCTF®135 HA and NCTF®135 HA+.

### INSTRUCTIONS FOR USE

Mesotherapy can be performed manually using a 30G or 32G needle or a gun.

It involves micro-injections into the dermal-epidermal junction or the superficial dermis in the following areas:

- Face
- Neck
- Decollete
- Back of hands
- Inner surface of arms
- Inner surface of thighs
- Periumbilical region

Data relating to the injection (patient contact information and product batch number) must be retained by the practitioner.

### WARNING

- Check the expiry date on the label.
- Do not reuse.
- Do not resterilise.

**Note :** IF THE PACKAGE IS OPEN OR DAMAGED, DO NOT USE THE PRODUCT. NCTF®135 AND NCTF®135 HA MUST NOT BE STERILISED TWICE.

### STORAGE INSTRUCTIONS

Do not freeze or expose to extreme heat. NCTF®135 AND NCTF®135 HA must be kept below 25°C.

### MANUFACTURER




FILORGA S.A.S.  
10, rue de Vézelay  
75008 PARIS FRANCE


**NCTF**

135  
135HA  
135HA+

SYMBOLS ON THE PACKAGING



REFER TO INSTRUCTION FOR USE



STORAGE TEMPERATURE



DO NOT REUSE



ASEPTIC - VIALS

THE NEEDLES AND SYRINGES CONTAINED  
IN THE PACK ARE CE MARKED UNDER THE  
RESPONSIBILITY OF THE MANUFACTURER  
(SEE LABELS)

**CE**  
**0297**

CE ACCORDING TO MDD 93/42/CEE  
0297 IS THE NUMBER OF THE NOTIFIED BODY